




HP Pavilion x360 m3-u103dx Battery Replacement

How to replace the battery for the HP Pavilion x360 m3-u103dx.

Written By: Meaghan Hyatt



INTRODUCTION

In this guide you will be required to remove the keyboard from the device in order to remove the battery. You will need to use a iFixit Pro Tech Toolkit.

This task requires patience and attention to detail.

TOOLS:

- [Phillips #00 Screwdriver](#) (1)
 - [Metal Spudger](#) (1)
-

Step 1 — Battery




- Power off device.
 - Flip the laptop over.
- ⚠ Working on your device while its powered on may cause damage to your device.

Step 2



- Remove rubber foot closest to computer hinge with a Metal Spudger.

Step 3



- Remove all screws from base using a Phillips head 00 screwdriver.
- 5 Phillip 2.4 x 5.7 mm screws.
- 5 Phillips 2.8 x 5.0 mm screws.


Step 4



- Open computer and pry open keyboard panel using the Metal Spudger. Apply little pressure then increase until keyboard pops away from motherboard.


⚠ Be careful not to pull or disconnect ribbon cables first.

Step 5



- Gently lift the keyboard on the mouse pad side, but do not remove.
 - ⚠ The keyboard is still connected by three ribbon cables.
- Remove three connected ribbon wires connecting keyboard to frame by gently disconnecting them from the motherboard.

Step 6



- Use a Phillips #00 screwdriver to remove six screws around the battery.
 - 6 Phillips 2.0 x 4.6 mm screws.

Step 7



- Gently lift the battery up and away from the casing.
- Carefully remove the battery from its connecting port.

To reassemble your device, follow these instructions in reverse order.