



How to Change a Stretched Canvas

Swapping a stretched canvas from the frame.

Written By: Vanessa Munguia



INTRODUCTION

If you want to reuse your canvas frame and save your original work, this guide will show you how to remove and replace your stretched canvas.



TOOLS:

- [Pick Tool](#) (1)
- [Slip Joint Pliers](#) (1)
- [Fabric Scissors](#) (1)
- [Canvas Pliers](#) (1)
- [Staple Gun](#) (1)



PARTS:

- [Duck Canvas Fabric](#) (1)

Step 1 — How to Change a Stretched Canvas



- Place the canvas upside down on a flat surface.

Step 2



- Place the picker tool under the staple
- Begin to lift the staple off of the frame by moving the picker tool down towards the table.
- ⓘ Lift the staple halfway up (Do not completely remove yet).

⚠ Don't place your hands directly in front of pointy end of the picker tool.

Step 3



- Once the staple is halfway lifted, use the pliers to completely lift the staple from the frame.
- Repeat steps 2-3 to remove the rest of staples.

Step 4




- Roll up your canvas for storage.
- ① Roll the canvas with your painting on the outside to avoid cracking

Step 5




- Measure out the amount of canvas that is needed to cover the edges of the frame.
- Once measured, make a small cut in the corner.
- Use your hands to rip off the excess fabric.

Step 6




- Fold one side of the canvas fabric over the edge of one of the long sides of the frame.
- While holding the canvas down, use the staple gun to place one staple in the middle

Step 7




- Go over to the other side of the frame and use the canvas pliers to grab the canvas fabric. To tighten canvas fabric, begin by holding the pliers at a 45 degree angle then moving the pliers down towards the table.
- ☑ Place the canvas pliers where you intend to place a staple .
- While holding the fabric down, place a staple in the middle of that side of the frame.
- Continue Step 7 on the two short sides of the frame.

Step 8




- Choose one of the long sides of the frame and begin stapling from the center to about 3 inches away from the corner using the same canvas plier technique from step 7. Then repeat on other long side.
- Next, repeat this stapling process on the two short sides

Step 9





- Trim the corner of the fabric to make folding easier.
 - ❗ The fabric that you cut away should be in the shape of a triangle.
- Repeat on the other three corners.

Step 10



- Choose one corner of the frame and tuck excess fabric inside the fold.
- Holding tightly onto the fabric, pull the fold up and over the the edge of the frame. Staple to secure both sides of the corner.
- Repeat on the other three corners

Step 11



- i When you are finished, stretched canvas should be tight and it should sound like a drum when you tap on it.

To reassemble your device, follow these instructions in reverse order.