



# Little Wonder GX270 Honda Maximum Output Blower Fan Replacement

How to replace a fan on a Little Wonder GX270 Blower.

Written By: Sam Omiotek



# INTRODUCTION

Follow this guide to replace the fan on a Little Wonder GX270 blower with Honda engine.



## TOOLS:

- [Impact Wrench](#) (1)
- [1/2" Socket](#) (1)
- [1/2" Wrench](#) (1)
- [Socket Wrench](#) (1)





## PARTS:

- [Little Wonder Wldmt-Fan 7 Blade 2.75 4166730](#) (1)
- [Little Wonder Spacer-Fan .53 4165169](#) (1)
- [Little Wonder Plug-Fan 7/16 X 1 4163427](#) (1)



## Step 1 — Safety precautions




 Before you begin, ensure that the engine is off and cool to the touch.

## Step 2



- Locate the gas cutoff valve and flip the switch to the left to shut it.

### Step 3



- Grab the plastic housing at the end of the spark plug wire.
- Pull firmly to disconnect the wire from the spark plug.

### Step 4 — Remove the intake guard



- Use a 1/2 inch wrench to remove the intake guard bolt behind the front wheel.



## Step 5



- Use a 1/2 inch socket to remove the five bolts securing the intake guard.

## Step 6



- Remove the intake guard.



## Step 7 — Remove the fan blade



- Use an impact wrench to remove the 5/8 inch bolt securing the fan blade to the spindle.

## Step 8



- Remove the fan plug bolt and fan plug.

## Step 9



- Remove the fan blade.

## Step 10



- Use a pair of pliers to remove the key from the spindle.



## Step 11



- Remove the fan spacer.
- ☑ Wipe the old grease off the spindle with a shop towel and apply new grease before installing the replacement parts.

To reassemble your device, follow these instructions in reverse order.