



How to Restring a Hoodie

Restring a hoodie using a safety pin.

Written By: Victoria Longa



INTRODUCTION

The strings of a hoodie can often move around, become uneven, or fall out of the hoodie. This is something that can ruin one's favorite hoodie but it is easy to fix.

This fix uses a safety pin to move the string through the hoodie to fix this common occurrence and make the strings even once again. Be careful though, during steps 2 and 5 using a safety pin can cause injury.

It is recommended that the hoodie and string are washed before beginning this repair. This ensures that no dirt gets carried and stuck in the hole of the hoodie. It is also best if someone is not wearing the hoodie while repairing it so it is easier to move the safety pin through the hoodie.



TOOLS:



- [Safety Pin](#) (1)
-

Step 1 — How to Restrung a Hoodie



- Remove the string from the hoodie.

Step 2



- Pin the safety pin to one end of the string.

⚠ Safety pin can cause injury if handled incorrectly.

Step 3



- Insert the end of the string with the safety pin into one of the holes of the hoodie.

Step 4



- Pinch the fabric to help the safety pin move through the hoodie.

Step 5



- Straighten out the fabric while holding the safety pin.

Step 6




- Continue pinching and straightening the fabric while holding onto the safety pin to move the string through the hoodie.
- Do this until the safety pin reaches the hole on the other side of the hoodie.

Step 7




- Pull the string end with the safety pin completely out of the hole.

Step 8



- Remove the safety pin from the string.

 Safety pin can cause injury if handled incorrectly.

After restringing the hoodie, you can wear it without fear of uneven or missing strings.