



How to Fix a Hole in a Pant Pocket

Fix a hole in your pant pocket by using the double stitch method.

Written By: Dolapo Ajose



INTRODUCTION

If your pant pocket has been ripped- damaged, or has a hole in it, use this guide to fix the hole in the pocket.

The pocket in your pant help keep your important possessions like phone, key. A ripped pocket will allow all your possessions to fall get damaged and can lead to loss.

Before using this guide make sure you have some knowledge of sewing with a double stitch method.

Step 4 requires you to insert pins in the traced area you want to sew. This would help create holes. From there you would need to sew the ripped portion using a needle and thread.

Before beginning, make sure to flip the pocket in and out.

TOOLS:

- [Hand Sewing Needle](#) (1)
- [Sewing Thread](#) (1)
- [Sewing Pins](#) (1)
- [Marker](#) (1)

Step 1 — How to Fix a Hole in a Pant Pocket



- Flip the pocket inside out.

Step 2



- Carefully align the ripped part of the pocket together.

Step 3



- Put a sewing pin into a stable piece of fabric to make a hole.

Step 4



- Carefully remove the pins.


Step 5



- Carefully insert the a threaded sewing needle into the hole you created at one end of the tear.
- Sew along the length of the tear, joining the two pieces of fabric together.

⚠ Be very careful when using needle as the point can be very sharp and lead to injury.

Step 6



- Sew around the ending part a couple times to prevent it from loosen again.

Step 7



- Tie a few knots on both ends of the closed tear to ensure the stitching doesn't come loose.
- Carefully cut the remaining thread.
- ⓘ Be very careful while cutting the thread to avoid cutting some part of the material also.

To reassemble your device, follow these instructions in reverse order.